



# Mrs Bounce

3 Dakota Gardens, Beckton, London, E6 5YT

Contact: 0203 726 9249 Mobile: 07507115127

Website: www.mrsbounce.co.uk

Email: info@mrsbounce.co.uk

## RISK ASSESSMENT FOR DASH N GRAB. (Hungry Hippo's)

Persons/Property at Risk

Date

Prepared: 18/03/2024

|               |   |                       |   |                    |   |          |   |
|---------------|---|-----------------------|---|--------------------|---|----------|---|
| All Employees | X | Members of the public | X | Vendor/ Contractor | X | Property |   |
| Equipment     | X | Facilities            |   | Maintenance Staff  | X | Grounds  | X |

| Hazard                      | Further controls to reduce risk   | Likelihood |            |        | Severity |         |          |            | Risk Score            |
|-----------------------------|---|------------|------------|--------|----------|---------|----------|------------|-----------------------|
|                             |   | Probable   | Occasional | Remote | Critical | Serious | Marginal | Negligible | Likelihood x Severity |
|                             | <u>Score</u>  | 3          | 2          | 1      | 4        | 3       | 2        | 1          |                       |
| <b>Harness</b>              | All harnesses are age group/ size related. These are checked on an hourly basis. The bungee run consists of a Velcro belt that can be adjusted depending on the size of the participant |            |            | X      |          |         |          | X          | 1                     |
| <b>Elastic bungee chord</b> | The Bungee chords are visually checked before every event   |            |            | X      |          |         |          | X          | 1                     |

|                          |   |  |          |          |  |  |          |          |          |
|--------------------------|---|--|----------|----------|--|--|----------|----------|----------|
|                          | and should then be checked on an hourly basis   |  |          |          |  |  |          |          |          |
| <b>Falling Awkwardly</b> | User advised not to dive, jump or do somersaults on or coming off of the unit                                     |  | <b>X</b> |          |  |  | <b>X</b> |          | <b>2</b> |
| <b>Overloading</b>       | Supervisor to allow 2 users on the unit at any one time   |  |          | <b>X</b> |  |  |          | <b>X</b> | <b>1</b> |
| <b>Crowd Control</b>     | Supervisor to keep the parents/carers clear of the front of the unit to ensure safe entry/exit of unit            |  |          | <b>X</b> |  |  |          | <b>X</b> | <b>1</b> |
| <b>Supervision</b>       | Supervisors to watch over the users at all times stopping any person likely to cause harm to themselves or others |  |          | <b>X</b> |  |  |          | <b>X</b> | <b>1</b> |
| <b>Sharp Objects</b>     | The supervisor should ensure that all users remove any sharp objects/glasses before using the unit                |  |          | <b>X</b> |  |  |          | <b>X</b> | <b>1</b> |
| <b>Age Restrictions</b>  | Some age restrictions apply to certain units. The supervisor should know the restrictions to prevent misuse       |  |          | <b>X</b> |  |  |          | <b>X</b> | <b>1</b> |
| <b>Anchora</b>           | All units need to be  |  |          | <b>X</b> |  |  |          | <b>X</b> | <b>1</b> |

|                                  |  |  |  |          |  |  |  |          |          |
|----------------------------------|--|--|--|----------|--|--|--|----------|----------|
| <b>ge of Unit</b>                | anchored to the ground by means of 380 x 16m ground anchorage metal stakes which will be near to the inflatable and level with the grass as not to cause a trip hazard. On hard standing sand bags/weights will be used, and must also be tied to a permanent structure. |  |  |          |  |  |  |          |          |
| <b>Petrol/ Diesel Generators</b> | If the unit is for self-supervision, petrol/diesel is the customer's responsibility to keep in a safe place. If supervised by Mrs Bounce Ltd fuel will be kept in a vehicle behind the unit  |  |  | <b>X</b> |  |  |  | <b>X</b> | <b>1</b> |
| <b>Electric Fans</b>             | All electric fans will be PAT tested and indicated with a PAT testing sticker  |  |  | <b>X</b> |  |  |  | <b>X</b> | <b>1</b> |
| <b>Weather Conditions (Wet)</b>  | The inflatable may become unsafe if wet and the risk of injury will be present. In severe cases  |  |  | <b>X</b> |  |  |  | <b>X</b> | <b>1</b> |

|  |  |  |          |          |  |  |          |          |          |
|--|--|--|----------|----------|--|--|----------|----------|----------|
|  | supervisors should use their own initiative to close the unit too prevent injury   |  |          |          |  |  |          |          |          |
| <b>Weathe<br/>r<br/>Conditio<br/>ns<br/>(wind)</b> | The unit will be anchored securely to ensure no movement is present in light winds, in strong winds or in winds of 24mph or more supervisors must close the unit to prevent any injuries. Supervisors from Mrs Bouce Ltd will have a Wind Anemometer with them to take log of the wind . |  | <b>X</b> |          |  |  | <b>X</b> |          | <b>2</b> |
| <b>Manual<br/>Handlin<br/>g</b>                    | All staff delivering equipment have been trained in manual handling of all equipment   |  |          | <b>X</b> |  |  |          | <b>X</b> | <b>1</b> |
| <b>Child<br/>Protecti<br/>on and<br/>Safety</b>    | All staff operating equipment where children/person are at risk are aware of and have signed an understanding of information of Mrs Bounce Ltd Child Protection Policy   |  |          | <b>X</b> |  |  |          | <b>X</b> | <b>1</b> |

|                                      |                                  |                               |                            |
|--------------------------------------|----------------------------------|-------------------------------|----------------------------|
| <b><u>Risk Assessment Scores</u></b> | <b><u>10+ Very High Risk</u></b> | <b><u>5-9 Medium Risk</u></b> | <b><u>1-4 Low Risk</u></b> |
|--------------------------------------|----------------------------------|-------------------------------|----------------------------|

**This Risk Assessment was carried out for and on behalf of Mrs Bounce Ltd.**