



Mrs Bounce

3 Dakota Gardens, Beckton, London, E6 5YT

Contact: 0203 726 9249 Mobile: 07507115127

Website: www.mrsbounce.co.uk

Email: info@mrsbounce.co.uk

RISK ASSESSMENT FOR INFLATABLE UNCLIMMABLE LADDER

Persons/Property at Risk

Date

Prepared: 20/05/2024

All Employees	X	Members of the public	X	Vendor/ Contractor	X	Property	
Equipment	X	Facilities		Maintenance Staff	X	Grounds	X

Hazard	Further controls to reduce risk	Likelihood			Severity				Risk Score
		Probable	Occasional	Remote	Critical	Serious	Marginal	Negligible	Likelihood x Severity
	<u>Score</u>	3	2	1	4	3	2	1	
Falling Awkwardly	User advised not to dive, jump or do somersaults on or coming off of the unit.		X				X		2
Overloading	Supervisor to allow only a set amount of users on the unit depending on age or size			X				X	1
Crowd Control	Supervisor to keep the parents/carers clear of the front of the unit to ensure safe			X				X	1

	entry/exit of unit								
Collision on Unit	Supervisor to keep users on the unit down to a safe number to minimise the risk of collisions on the unit. 2 users at any one time.			X				X	1
Supervision	Supervisors to watch over the users at all times stopping any person likely to cause harm to themselves or others			X				X	1
Sharp Objects	The supervisor should ensure that all users remove any sharp objects/glasses before using the unit			X				X	1
Age Restrictions	Some age restrictions apply to certain units. The supervisor should know the restrictions to prevent misuse			X				X	1
Climbing Rope Ladders	The rope ladders are visually checked before and after every event for any signs of wear. When the users fall of, they only fall onto the inflatable.		X				X		2

Anchorage of Unit	All units need to be anchored to the ground by means of metal stakes on soft ground or sand bags on hard surfaces			X				X	1
Petrol/Diesel Generators	If unit is for self supervision, petrol/diesel is the customer's responsibility to keep in a safe place. If supervised by P&J Entertainment's fuel will be kept in a vehicle behind the unit			X				X	1
Electric Fans	All electric fans will be PAT tested and indicated with a PAT testing sticker			X				X	1
Weather Conditions (Wet)	The inflatable may become unsafe if wet and the risk of injury will be present. In severe cases supervisors should use their own initiative to close the unit too prevent injury			X				X	1
Weather Conditions (wind)	The unit will be anchored securely to ensure no movement is present in		X				X		2

	light winds, in strong winds or in winds of 24mph or more supervisors must close the unit to prevent any injuries. Supervisors from Mrs Bounce Ltd will have a Wind Anemometer with them to take log of the wind .							
Weather Conditions (Sun)	This is down to the person supervising on the day, they will need to decide if the inflatables are getting too hot for use. If they feel the inflatable is getting too hot for use they will close the unit down immediately . We are unable to cool the inflatables down as you cannot put water on them, as this will then be a Health & Safety issue.		X				X	2
Manual Handling	All staff delivering equipment have been trained in manual handling of all equipment			X			X	1
Child	All staff							

Protecti on and Safety	operating equipment where children/per son are at risk are aware of and have signed an understandi ng of information of Mrs Bounce Ltd Child Protection Policy								
<u>Risk Assesse nt Scores</u>	<u>10+ Very High Risk</u>	<u>5-9 Medium Risk</u>			<u>1-4 Low Risk</u>				

TThis Risk Assessment was carried out for and on behalf of Mrs Bounce Ltd.